



Corrigendum: A PKA activity sensor for quantitative analysis of endogenous GPCR signaling via 2-photon FRET-FLIM imaging

Citation

Chen, Yao, Jessica L. Saulnier, Gary Yellen, and Bernardo L. Sabatini. 2016. "Corrigendum: A PKA activity sensor for quantitative analysis of endogenous GPCR signaling via 2-photon FRET-FLIM imaging." *Frontiers in Pharmacology* 7 (1): 46. doi:10.3389/fphar.2016.00046. <http://dx.doi.org/10.3389/fphar.2016.00046>.

Published Version

doi:10.3389/fphar.2016.00046

Permanent link

<http://nrs.harvard.edu/urn-3:HUL.InstRepos:26318521>

Terms of Use

This article was downloaded from Harvard University's DASH repository, and is made available under the terms and conditions applicable to Other Posted Material, as set forth at <http://nrs.harvard.edu/urn-3:HUL.InstRepos:dash.current.terms-of-use#LAA>

Share Your Story

The Harvard community has made this article openly available.
Please share how this access benefits you. [Submit a story](#).

[Accessibility](#)



Corrigendum: A PKA activity sensor for quantitative analysis of endogenous GPCR signaling via 2-photon FRET-FLIM imaging

Yao Chen^{1,2}, Jessica L. Saulnier^{1,2}, Gary Yellen² and Bernardo L. Sabatini^{1,2*}

¹ Howard Hughes Medical Institute, Boston, MA, USA, ² Department of Neurobiology, Harvard Medical School, Boston, MA, USA

Keywords: PKA, FLIM, neuromodulation, cAMP, FLIM-AKAR, GPCR, glutamate, dendritic spine

A commentary on

OPEN ACCESS

Edited and reviewed by:

Dominique Massotte,
Institut des Neurosciences Cellulaires
et Intégratives, France

*Correspondence:

Bernardo L. Sabatini
bernardo_sabatini@hms.harvard.edu

Specialty section:

This article was submitted to
Neuropharmacology,
a section of the journal
Frontiers in Pharmacology

Received: 17 February 2016

Accepted: 18 February 2016

Published: 25 February 2016

Citation:

Chen Y, Saulnier JL, Yellen G and Sabatini BL (2016) Corrigendum: A PKA activity sensor for quantitative analysis of endogenous GPCR signaling via 2-photon FRET-FLIM imaging. *Front. Pharmacol.* 7:46. doi: 10.3389/fphar.2016.00046

A PKA activity sensor for quantitative analysis of endogenous GPCR signaling via 2-photon FRET-FLIM imaging

by Chen, Y., Saulnier, J. L., Yellen, G., and Sabatini, B. L. (2014). *Front. Pharmacol.* 5:56. doi: 10.3389/fphar.2014.00056

Reason for Corrigendum:

There was an error in the Materials and Methods section, subsection *In utero* Electroporation of our Original Research article “A PKA activity sensor for quantitative analysis of endogenous GPCR signaling via 2-photon FRET-FLIM imaging.” The round plate electrodes were 5 mm in diameter, instead of 0.5 mm as stated before.

The authors apologize for the mistake.

This error does not change the scientific conclusions of the article in any way.

AUTHOR CONTRIBUTIONS

YC wrote the Corrigendum. All authors agree to the request for changes.

Conflict of Interest Statement: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2016 Chen, Saulnier, Yellen and Sabatini. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) or licensor are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.